

**ONGC Petro-additions Limited**

4th Floor, 35, Nutan Bharat Co-operative Housing Society Limited,
R.C Dutt Road, Alkapuri, Vadodara – 390007
Phone: 0265-6192600, Fax No: 0265-6192666

Ref: OPaL/BDA/MM/RFP/Naphtha/Domestic/2025-26**Date: 06.02.25****SUBJECT – REQUEST FOR PROPOSAL FOR NAPHTHA (Manufacturers)****INTRODUCTION**

ONGC Petro additions Ltd., (OPaL) having its registered Office at 4th Floor, 35 Nutan Bharat Co-operative Housing Society Ltd, R. C. Dutt Road, Alkapuri, Vadodara, India -390 007, has set up a green field Mega Petrochemical Complex in the PCPIR / SEZ-1 zone at Port City of Dahej, Gujarat, India.

OPaL has set up a grass root mega Petrochemical project at Dahej, Gujarat in PCPIR/SEZ. The complex's main Dual Feed Cracker Unit has the capacity to produce 1100 KTPA Ethylene, 400 KTPA Propylene and the Associated Units consists of Pyrolysis Gasoline Hydrogenation Unit, Butadiene Extraction Unit and Benzene Extraction Unit. The Polymer plants of OPaL has 2X360 KTPA of LLDPE/HDPE Swing unit, 1X340 KTPA of Dedicated HDPE and 1x340 KTPA of PP.

Naphtha is one of the main feed for DFCU. To meet the requirement of Naphtha OPaL intends to procure Naphtha with the specification as per Appendix-IV.

CONNECTIVITY:

Marine Route	OPaL has hired tankages at Gujarat Chemical Port Limited (GCPL) Dahej and has a dedicated pipeline from GCPL tankage till OPaL premises. GCPL port can handle MR vessels only.
Pipeline	Dedicated Pipeline from ONGC Hazira till OPaL premises
Road transport	Naphtha Gantry unloading facility is available at OPaL premises

The annual projection of Naphtha requirement for FY 2025-26 is 700-900 KTPA.

Request to please furnish the details sought herein for supply of Naphtha to OPaL on term basis in the below requested format on or before the date of submission:

Email ID for submission	atul.mehta@opalindia.in / dhvanil.shah@opalindia.in
Mode of submission	Email (password protected)
Password submission	Only to be submitted when OPaL sends separate email seeking password

The form shall be stamped & signed on all pages by authorized signatory.
The offer shall be furnished along with Power of Attorney in the name of authorized signatory.

Annexure I	Details of Interested Vendor
Annexure II	Details for Naphtha Supply
Annexure- III	Pricing of Naphtha
Appendix A	OPaL Naphtha Specification



**For MM Department
ONGC Petro additions Limited**

DETAILS OF INTERESTED VENDOR

Sr. No.	Items	Details	
1.	Name of Company		
2.	Type of entity (Submit a registration proof along with the form)	(Put a tick mark below on applicable option)	
		☐	Proprietorship Firm
		☐	Partnership Firm
		☐	Private Limited Company
		☐	Public Limited Company
		☐	Society
		☐	Others (Please specify below):
3.	Date of Incorporation & Country of Incorporation <i>(Please enclose copy of Certificate of Incorporation (COI). In case, Certificate of Incorporation is issued in language other than English, please also attach duly notarized translated copy of COI.)</i>		
4.	No. of years in operation		
5.	Name of Parent Company (if applicable)		
6.	Name of Proprietor/ Partners/ Directors of the company/ Owner		
7.	Company Registration details (Submit all documents)	GST No.	
		TIN No.	
	Strike whichever is not applicable	PAN No.	
		VAT No.	
8.	Registered address (Corporate Headquarters)		
9.	Operational address (If different from above)		

10.	Details of person, signing the proposal. (The Power of Attorney to be annexed)	1. Name: 2. Designation/ Capacity: 3. Signature specimen <table border="1"> <tr> <td>Full Signature:</td> <td></td> </tr> <tr> <td>Short Signature, if any:</td> <td></td> </tr> </table>	Full Signature:		Short Signature, if any:	
Full Signature:						
Short Signature, if any:						
11.	Contact Details:	1. Telephone No: 2. Mobile No: 3. Email address: 4. Website address: 5. Fax No:				
12.	Any other relevant information					

-----X-----

BIDDER DETAILS FOR NAPHTHA SUPPLY (MANUFACTURERS ONLY)**1. CONFIRMATION TO OPaL NAPHTHA SPECIFICATIONS**

Sr.	Items	Response
1.1	Confirmation to match OPaL Naphtha Specs as per Appendix-IV. (Yes/No)	
1.2	In case the spec doesn't match as OPaL, then bidder to provide their specification sheet	

2. NAPHTHA PRODUCTION CAPACITY

Sr.	Units	Unit Details	Details
2.1	Unit 1	Name of unit/ geographical area	
		Tankage capacity & location	
		Quantity Production per Annum	
		Quantity Production per month	
		Specs as per OPaL (Yes/ No)	
2.2	Unit 2	Name of unit/ geographical area	
		Tankage capacity & location	
		Quantity Production per Annum	
		Quantity Production per month	
		Specs as per OPaL (Yes/ No)	

3. QUANTITY THAT CAN BE OFFERED TO OPaL

Unit/Source(s) from which Naphtha can be offered to OPaL

(Mention place of Unit Name with Load Port / Storage Tank Location)

Sr.	Unit Details	Details
3.1	Name of unit	
	Load Port / Storage Tank Location	
	Qty/ month which can be offered to OPaL (KT)	
	Schedule for offering one vessel	
	Minimum no. of days needed for prior notice for Naphtha shipment	
	Incoterms (FOB/DAPEx. works)	
	Mode of Dispatch (Marine/Pipeline/Road)	
	Transit Time from Source of Supply till GCPL Port, Dahej-Gujarat (India)	
3.2	Name of unit	
	Load Port / Storage Tank Location	
	Qty./month which can be offered to OPaL (KT)	
	Schedule for offering one vessel	
	Minimum no of days needed for prior notice for dispatch of Naphtha	
	Incoterms (FOB/DAP/ Ex. works)	
	Means of Dispatch (Marine/Pipeline/Road)	

	Transit Time from Source of Supply till GCPL Port, Dahej-Gujarat (India)	
--	--	--

3.3	Do you have your own chartering vessels which can be assigned to OPaL for Naphtha Supply through marine route, if required?	
3.4	Confirmation to Supply Naphtha in MR (Medium Range) Vessel (30-36 KT)	
3.5	Term of Agreement which can be offered to OPaL (Min-Max)	

4. IN CASE THE BIDDER IS OFFERING THE NAPHTHA PARCEL ON FOB

i.	Load port name and address			
ii.	Laycan duration			
iii.	Tankage pumpable Capacity of load port (KT)			
iv.	Load Port Charges with breakup			
	Condition	RGRT		
		GRT		
		Hours		
	Description	Load Port (Per/ unit)	Total load port charges per shipment	
	Pilotage (INR/GRT)			
	Berth Hire Charges (INR/ GRT/hour or part thereof)			
	Port dues			
	BPT charges			
	Any other charges			
	Total			
	GST @ 18 %			
	Total			

5. IN CASE OF DAP – GCPL PORT*

5.1	Parcel Size	
5.2	Load port name and address	

6. IN CASE OF ROAD

6.1	Supply till OPaL Gantry (Through Road Tankers) on delivered basis	
6.2	Supply on Ex- Manufacturing unit (Place to be mentioned)	
6.3	Tankage pumpable Capacity at Manufacturing Unit	
6.4	Are Truck Tanks (TTs) available with the Seller for Supply of Naphtha to OPaL?	
6.5	Please mention distance from Manufacturing Unit till OPaL Plant, Dahej	
6.6	Evacuation period of Tankages	

7. IN CASE OF PIPELINE TRANSFER

7.1	submit diagram or mention the route	
7.2	Term of Agreement which can be offered to OPaL (Min – Max)	

Signature & Stamp of interested vendor

PRICING OF NAPHTHA

Pricing formula preferred (Describe the Index which shall be used)	Formula																							
	Base Index																							
	Premium																							
	Other components, if any																							
Eg. – Base Price can be MOPAG (Platts/ Argus) Premium – Fixed component or Published premium																								
Other charges applicable (Pls provide complete break up), if applicable	<table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Description</th> <th>Charges</th> </tr> </thead> <tbody> <tr> <td>i.</td> <td></td> <td></td> </tr> <tr> <td>ii.</td> <td></td> <td></td> </tr> <tr> <td>iii.</td> <td></td> <td></td> </tr> <tr> <td>iv.</td> <td></td> <td></td> </tr> <tr> <td>v.</td> <td></td> <td></td> </tr> <tr> <td>vi.</td> <td></td> <td></td> </tr> </tbody> </table>			Sl. No.	Description	Charges	i.			ii.			iii.			iv.			v.			vi.		
	Sl. No.	Description	Charges																					
	i.																							
	ii.																							
	iii.																							
	iv.																							
	v.																							
	vi.																							
Applicable taxes																								
Payment Term																								

Note: -OPaL reserves right to register a vendor for product entirely at its sole discretion.

- If the interested vendor needs to furnish further details other than sought above, same may be provided.
- All the data/information received in this regard shall be treated in strict confidence and shall be used only for our internal purposes. Submission of data/information shall, in no way imply, that the Seller is qualified, and/ or will not bind OPaL to undertake any contract/Agreement for supply of Naphtha If the interested vendor needs to furnish further details other than sought above, same may be provided.

- Based on the responses and its feasibility, OPaL may seek the eligibility documents in order to enter into Term agreement with bidder.
- OPaL reserves the right to cancel or annul the RFP or part thereof, without assigning any reason whatsoever.
- Bidder is requested to submit the above proposals duly filled in and signed by authorized signatory.
- OPaL is currently operating within a Special Economic Zone (SEZ), Dahej Gujarat and is in the advanced stages of transitioning out of the SEZ area to become a Domestic Tariff Unit (DTA). Currently, GST on goods supplied or services rendered to OPaL in SEZ area for specified operations are zero (0) rated. Following OPaL's exit from the SEZ, OPaL's liability shall be limited only to the payment of applicable GST for domestic supplies and custom duty for imported goods.
- OPaL shall not be responsible for any other additional costs or implications of whatsoever in nature incurred by bidder due to the supply being made to OPaL after becoming a DTA Unit, including those arising under the Advance License Scheme or any other provisions/schemes. No further indemnification or reimbursement shall be provided for any tax implications, levies, or duties resulting from the bidder's assumptions or arrangements under SEZ conditions".

Signature & Stamp of interested vendor

NAPHTHA SPECIFICATION-OPaL

Sr. No.	Property	Test Method	Unit	Specification
1.	Paraffins	ASTM-D-5134/IP-382	(v/v)%	64 (min)
2.	Olefins	ASTM-D-5134 /IP-382	(v/v) %	5 (max)
3.	Naphthenes	ASTM-D-5134 / IP-382	(v/v) %	To report
4.	Aromatics	ASTM-D-5134/IP-382	(v/v) %	12 (Max)
5.	Arsen, Arsenic	ICP/AAS	Wt-ppb	10 (Max)
6.	Lead	ICP/AAS	Wt-ppb	10 (Max)
7.	Mercury	ICP/AAS	v-ppb	10 (max)
8.	Chlorides	ASTM D4929	Wt-ppm	<1
9.	Total Oxygenates	ASTM D -7423	Wt-ppm	100 (Max)
10.	Sulphur	ASTM- D 5453	Wt-ppm	200 (Max)
11.	Distillation (IBP)	ASTM- D -86/ IP-123	° C	28 (Min)
	FBP	ASTM – D- 86	° C	200 (Max)
12.	RVP at 100 ° F	ASTM-D-323/ IP-69	PSI	13 (Max)
13.	Colour	ASTM-D- 156	Saybolt	To report
14.	Density at 15.56 °C	ASTM-D -4052	gm/cc	To report
15.	CS2	ASTM-D 5623	Wt ppm	< 5

Note: Heavy Metal specification includes Nickel (Ni), Chromium (Cr), Iron (Fe) and Vanadium (Va).

The max limit of heavy metals (in total) is up to 50 wt- ppb. Alkali metal content limit is up to 50 wt-ppb max.